

High Quality Decorating Tools

High Quality Decorating Tools



## [ Contents ]

2 Paint Brushes

7 Emulsion Brushes

9 Effects Range

10 Paint Rollers

17 Paint Roller Handles

19 Trays and Sets

20 Accessories

21 Display Stands

22 Brush Packing Specifications

23 Roller & Accessories Packing Specifications

24 Product Use Tables



“Automated production lines are complemented by trained operators, to ensure quality inspection at it’s highest standard.”



“The latest technology is applied at our own plastics manufacturing plant.”




“Paint rollers are produced with the patented Thermofusion method, and finished on our latest technology finishing machine.”



“PETA brushes are made with high quality materials, and manufactured using the latest technology.”

Since 1977, PETA has succeeded in establishing itself as a leading brand in Paint Brushes and Paint Rollers.



With customers in more than 20 countries worldwide, including the UK, the Benelux, Greece, France, the Middle East and Gulf States, as well as the Far East, PETA (Decorating Tools) Ltd offers quality and competitive prices.

Using the latest technology available and finest quality materials PETA brand products are well established and are ranked amongst the best in the market.

The PETA group of companies with their own production of brush, roller handles and plastic components ensure premium quality products for professionals and the D.I.Y. enthusiasts market.

Paint rollers are produced by the patented Thermofusion method, one of the few environmentally friendly production processes in the world.

In recognition of its efforts and achievements in the export business, the company has received Export Awards from the Government of Cyprus (1991, 1996 and 2001), as well as the Cyprus Employers and Industrialists Federation for exports in the European region (1992 and 1997).



# [Paint Brushes]



[A significant aspect of Peta paintbrush making, is the use of the right materials and experienced production techniques.

High quality bristle is used (with specifications and guidelines), and many of the quality handles are produced

[The latest production techniques are used to ensure superior finished products , whilst for select ranges (like PETA 500) , Peta has trained personnel for hand making exceptional brushes.]



[ Peta Zebra ]

Superior quality brush , with a special mixture of pure and Orel-T bristle and a two component handle (with anti-slip properties). Set in an inox ferrule with epoxy resin.

Item	Width	Thickness	Length Out	Boxed
Z001	1"	7/16"	2 1/4"	12
Z002	2"	9/16"	2 1/2"	12
Z003	3"	11/16"	2 3/4"	12



[ Peta Optima ]

Superior quality brush with a special mixture of pure and Orel-T bristle set in a brass plated ferrule with epoxy resin.

Item	Width(mm)	Thickness(mm)	Length Out(mm)	Boxed
O001	25	13	50	12
O002	35	13	55	12
O003	50	13	55	12
O004	60	16	61	12
O005	75	16	67	12
O006	100	16	74	12

High quality brush with Orel-T and hollow polyester synthetic mixture set in epoxy compound with brass plated ferrule.

Item	Width	Thickness	Length Out	Boxed
1501	1"	1/2"	2 1/4"	12
15021	1 1/2"	1/2"	2 1/4"	12
1503	2"	9/16"	2 1/2"	12
1504	2 1/2"	9/16"	2 1/2"	12
1505	3"	5/8"	2 3/4"	12
1506	4"	5/8"	3"	12

[Peta 1500]



Superior quality brush with black natural bristle set into a stainless steel ferrule with epoxy resin.

Item	Width	Thickness	Length Out	Boxed
PR401	1"	5/8"	2 1/2"	12
PR402	1 1/2"	5/8"	2 1/2"	12
PR403	2"	3/4"	2 3/4"	12
PR404	2 1/2"	13/16"	2 3/4"	12
PR405	3"	7/8"	3"	6
PR406	4"	7/8"	3 1/2"	6

[Peta Professional]



Top quality brush with long black natural bristle set into a nickel plated ferrule with epoxy resin.

Item	Width	Thickness	Length Out	Boxed
2003	1"	5/8"	2 1/4"	12
2004	1 1/2"	5/8"	2 1/2"	12
2005	2"	3/4"	2 3/4"	12
2006	2 1/2"	13/16"	3"	12
2007	3"	7/8"	3 1/2"	6
2008	4"	7/8"	3 3/4"	6

[Peta 2000]



Super quality brush with black natural bristle in nickel plated ferrule with epoxy resin.

Item	Width	Thickness	Length Out	Boxed
401S	1"	5/8"	2 1/4"	12
402S	1 1/2"	5/8"	2 1/4"	12
403S	2"	3/4"	2 1/2"	12
404S	2 1/2"	13/16"	2 1/2"	12
405S	3"	7/8"	2 3/4"	12
406S	4"	7/8"	3"	6

[Peta Super]





# [ Paint Brushes ]



[ Peta 400 ]

Thick quality brush with black natural bristle set in epoxy resin with nickel plated ferrule.

Item	Width	Thickness	Length Out	Boxed
402	1"	5/8"	2 1/4"	12
403	1 1/2"	5/8"	2 1/4"	12
404	2"	3/4"	2 1/2"	12
405	2 1/2"	13/16"	2 1/2"	12
406	3"	7/8"	2 3/4"	12
407	4"	7/8"	3"	6
408	5"	7/8"	3 1/2"	12
409	6"	7/8"	3 3/4"	10



[ Peta 600 ]

A quality brush with white natural bristle set in epoxy compound with nickel plated ferrule.

Item	Width	Thickness	Length Out	Boxed
601W	1"	5/8"	2 1/4"	12
602W	1 1/2"	5/8"	2 1/4"	12
603W	2"	3/4"	2 1/2"	12
604W	2 1/2"	13/16"	2 1/2"	12
605W	3"	7/8"	2 3/4"	12
606W	4"	7/8"	3"	6



[ Peta 900 ]

A superior quality brush with black or white natural bristle set in epoxy compound in brass plated ferrule with American type handle.

Item	Width	Thickness	Length Out	Boxed
901	1"	5/8"	2 1/4"	12
902	1 1/2"	5/8"	2 1/4"	12
903	2"	3/4"	2 1/2"	12
904	2 1/2"	13/16"	2 1/2"	12
905	3"	7/8"	2 3/4"	12
906	4"	7/8"	3"	6



[ Peta Oval ]

High quality brush with black or white natural bristle set in epoxy compound in a brass plated ferrule.

Item	Width(mm)	Length Out(mm)	Boxed
O301	30	56	12
O302	40	56	12
O303	50	62	12
O304	60	62	12



A fine quality adjustable corner brush with white natural bristle set in epoxy compound with nickel plated ferrule.

Item	Width	Thickness	Length Out	Boxed
851	2 1/2"	13/16"	2 1/2"	12
852	3"	7/8"	2 3/4"	6

**Peta 850**  
Adjustable corner



A fine quality brush with black natural bistle set in epoxy compound with tin plated ferrule.

Item	Width	Thickness	Length Out	Boxed
301	1/2"	3/8"	1 3/4"	24
302	3/4"	7/16"	1 3/4"	12
303	1"	1/2"	2"	12
304	1 1/2"	1/2"	2"	12
305	2"	1/2"	2 1/4"	12
306	2 1/2"	5/8"	2 1/2"	12
307	3"	5/8"	2 1/2"	12
308	4"	5/8"	3"	12
309	5"	3/4"	3 1/2"	12
310	6"	3/4"	3 3/4"	10

**Peta 300**




A fine quality brush with black natural bristle set in epoxy compound with tin plated ferrule.

Item	Width	Thickness	Length Out	Boxed
301A	1/2"	3/8"	1 3/4"	24
302A	3/4"	7/16"	1 3/4"	12
303A	1"	1/2"	1 3/4"	12
304A	1 1/2"	1/2"	2"	12
305A	2"	1/2"	2"	12
306A	2 1/2"	1/2"	2 1/4"	12
307A	3"	5/8"	2 1/4"	12
308A	4"	5/8"	2 1/2"	12
309A	5"	3/4"	3"	12
310A	6"	3/4"	3 1/2"	10

**Peta 300 A**



# [ Paint Brushes ]



[ Peta 200 ]

A long handle Radiator brush with black or white natural bristle set in epoxy compound with tin plated ferrule.

Item	Width	Thickness	Length Out	Boxed
201	1"	3/8"	1 3/4"	6
202	1 1/2"	3/8"	2"	6
203	2"	3/8"	2"	6
204	2 1/2"	3/8"	2 1/4"	6



[ Peta 800 ]

A fine quality brush with black natural bristle with epoxy resin and tin plated ferrule. Available in blue or black unvarnished handles.

Item	Width	Thickness	Length Out	Boxed
801	1"	1/2"	1 3/4"	12
802	1 1/2"	1/2"	2"	12
803	2"	1/2"	2"	12
804	2 1/2"	1/2"	2 1/4"	12
805	3"	5/8"	2 1/4"	12
806	4"	5/8"	2 1/2"	12



[ Peta 100 ]

A fine quality brush with natural white China bristle set in epoxy compound with tin plated ferrule.

Item	Width	Thickness	Length Out	Boxed
101	1"	1/2"	1 3/4"	12
102	1 1/2"	1/2"	2"	12
103	2"	1/2"	2"	12
104	2 1/2"	1/2"	2 1/4"	12
105	3"	5/8"	2 1/4"	12



[ Peta 100  
Orange ]

A fine quality brush with fine white natural bristle set in epoxy compound with tin plated ferrule.

Item	Width(mm)	Thickness(mm)	Length Out	Boxed
O101	20	9	1 3/4"	12
O102	30	15	2"	12
O103	40	15	2"	12
O104	50	15	2 1/4"	12
O105	70	15	2 1/4"	12



A fine quality brush with natural white China bristle with tin plated ferrule. Available in green or red unvarnished handles.

Item	Width	Thickness	Length Out	Boxed
303A	1"	1/2"	1 3/4"	12
304A	1 1/2"	1/2"	2"	12
305A	2"	1/2"	2"	12
306A	2 1/2"	1/2"	2 1/4"	12
307A	3"	5/8"	2 1/4"	12
308A	4"	5/8"	2 1/2"	12



Three pieces of Ideal Series brushes.

Item	Width	Thickness	Boxed
contains	1"	1/2"	} 12 Sets
	1 1/2"	1/2"	
	2"	1/2"	



Economy brush set with various coloured handles and white bristle.

Item	Width	Thickness	Boxed
contains	1/2"	3/8"	} 12 Sets
	1"	1/2"	
	1 1/2"	1/2"	
	2"	1/2"	
	2 1/2"	1/2"	



Super quality handmade wall brushes with white natural bristle in epoxy compound with nickel plated ferrule and plastic handle.

Item	Width(mm)	Thickness (mm)	Length Out (mm)	Boxed
501	70	30	60	6
502	100	30	60	6
503	130	30	67	6
504	140	40	67	5
505	150	50	73	2



Super quality handmade wall brush with special bristle mixture, more durable than current natural bristle wall brushes. Set in epoxy compound with nickel plated ferrule and plastic handle

Item	Width(mm)	Thickness (mm)	Length Out (mm)	Boxed
S501	100	30	60	6
S502	140	40	67	5



# [Paint Brushes]



[Peta 500/6]



[Peta 500/6G]

## Peta 500/6


High quality handmade wall brush with white natural bristle set in epoxy compound with nickel plated ferrule and wooden handle.

Size (mm)	Thickness (mm)	Length Out (mm)	Boxed
150	60	80	2

## Peta 500/6G

High quality handmade wall brush with white & grey natural bristle set in epoxy compound with wooden handle.

Size (mm)	Thickness (mm)	Length Out (mm)	Boxed
150	60	80	2



[Peta 500/7]

High quality handmade wall brush with long white natural bristle set in epoxy compound with wooden handle.

Size (mm)	Thickness (mm)	Length Out (mm)	Boxed
170	70	87	1



[Lime Brush]

Wall brushes with PVC fibers with wooden OR plastic base and plastic handle.

Size (mm)	Thickness (mm)	Length Out (mm)	Boxed
170	70	70	12



[Fitches]

Quality artist lining brush with white bristle and long varnished handle.

Size (mm)	Boxed
1 to 12	12 per size

# [ Effects Range ]




The Peta effects range is a new line of products designed to give a unique approach to painting applications

[ Random effects roller 7x1 1/2" ]



[ 10cm Honeycomp ]




[ Bagging Roller 15 cm ]




[ Dragging strippler ]



[ Profile sponge ]



[ Woodgrainer ]



[ Peta Roller 15cm ]



[ Wrinkle Roller 15cm ]



# [ Paint Rollers ]



## TAILOR MADE ROLLERS

[ Peta paints rollers are designed and produced with the end user in mind (whether professional or DIY), and cover all major areas of paint and varnish applications. Our company co-operates with well known European mills. For sufficient container quantities, we can also provide a vast selection of rollers with required fabric types and colours, in addition to our current ranges.]



- Cage/ Slip-on/Screw/Fixed

[ **SPP Peach**  
12mm pile ]

Medium pile polyester roller on a polypropylene core for emulsion paints on smooth or semi-smooth surfaces.

Tube Diam.	Length
1 1/2" OR 1 3/4"	4", 7", 9"



- Cage/ Slip-on/Screw/Fixed

[ **SPB Blue**  
14mm pile ]

Medium pile polyester roller on a polypropylene core for emulsion paints on smooth or semi-smooth surfaces.

Tube Diam.	Length
1 1/2" OR 1 3/4"	4", 7", 9"



Medium pile polyester roller on a polypropylene core for emulsion paints on smooth or semi-smooth surfaces.

Tube Diam.	Length
1 1/2" OR 1 3/4"	4", 7", 9"



Long pile polyester roller on a polypropylene core for emulsion paints on rough and texture surfaces.

Tube Diam.	Length
1 1/2" OR 1 3/4"	4", 7", 9"



Long pile polyester roller on a polypropylene core for emulsion paints on rough and texture surfaces.

Tube Diam.	Length
1 1/2" OR 1 3/4"	4", 7", 9"



Very long pile polyester roller on a polypropylene core for emulsion paints on rough and texture surfaces.

Tube Diam.	Length
1 1/2" OR 1 3/4"	4", 7", 9"



# [ Paint Rollers ]



- Cage/ Slip-on/Screw/Fixed

**[ MFB Mohair ]**  
cream - 5mm pile

A high quality 100% wool roller for gloss paints. Also for primers and undercoats or smooth and semi smooth surfaces.

Tube Diam.	Length
1 1/2" OR 1 3/4"	4", 7", 9"



- Cage/ Slip-on/Screw/Fixed

**[ Imitation Mohair ]**  
5mm pile

High quality synthetic roller , with properties very similar to natural Mohair , but for a lower cost.

Tube Diam.	Length
1 1/2" OR 1 3/4"	4", 7", 9"



- Cage/ Slip-on/Screw/Fixed

**[ MFS - Simulated mohair ]**  
cream / white - 5mm pile

Short pile polyester roller for gloss paints. Also for primers and undercoats on smooth and semi smooth surfaces.

Tube Diam.	Length
1 1/2" OR 1 3/4"	4", 7", 9"



- Cage/ Slip-on/Screw/Fixed

**[ Polyester string type ]**  
yellow

String type polyester roller on a polypropelene core for emulsion paints. Also suitable for masonry paints on rough and texture surfaces.

Tube Diam.	Length
1 1/2" OR 1 3/4"	4", 7", 9"

Exceptional Quality String type polyamide roller on a polypropylene core for emulsion paints. Also suitable for masonry paints on rough and texture surfaces.

Tube Diam.	Length
1 1/2" OR 1 3/4"	4", 7", 9", 10"




High Quality String type polyamide roller on a polypropylene core for emulsion paints. Also suitable for masonry paints on smooth and semi smooth surfaces.

Tube Diam.	Length
1 1/2" OR 1 3/4"	4", 7", 9", 10"




Exceptional Quality String type polyamide roller on a polypropylene core for emulsion paints. Also suitable for masonry paints on rough and texture surfaces.

Tube Diam.	Length
1 1/2" OR 1 3/4"	4", 7", 9", 10"



Exceptional Quality String type polyamide roller on a polypropylene core for emulsion paints. Also suitable for masonry paints on rough and texture surfaces.

Tube Diam.	Length
1 3/4"	10"



# [ Paint Rollers ]




- Cage/ Slip-on/Screw/Fixed

[ Potter orange ]

High Quality String Type roller , with polyamide and acrylic mixture fabric , on a polypropylene core. Suitable for emulsion and masonry paints , on rough surfaces.

Tube Diam.	Length
1 1/2" OR 1 3/4"	4", 7", 9", 10"



- German Type

[ German type jumbo roller ]

High Quality string type polyamide roller on a polypropylene core for emulsion paints. Contains special inside pad for smoother finishing.

Tube Diam.	Length
1 3/4"	10"



- Cage/ Slip-on/Screw/Fixed

[ No splash roller ]

High quality non splash roller on a polypropylene core for emulsion paints. For use on smooth and semi smooth surfaces.

Tube Diam.	Length
1 1/2" OR 1 3/4"	7", 9", 10"



- Screw Type

[ Ultimo ]

High quality low pile sheepskin roller for gloss paints. Also suitable for primers and undercoats on smooth and semi - smooth surfaces.

Tube Diam.	Length
1 3/4"	7", 10"

A pure sheepskin roller of exceptional quality for emulsion paints.

Tube Diam. (mm)	Length (mm)
46.5	230

**[Diamond sheepskin]**



- Screw/Fixed

Special medium pile roller on a polypropylene core. Suitable for anti-fowling, epoxies, roof water proofing and bituminous coatings.

Tube Diam.	Length
1 1/2" OR 1 3/4"	4", 7", 9"

**[SPU anchor]**



- Screw/Fixed

High quality foam rollers on PVC tube. Available in fine (FRF), medium (FRM) and gross (FRG) texture.

Tube Diam.	Length
1 1/2"	4", 7", 9", 10"

**[FRF/FRM/FRG]**




- Screw/Fixed

High quality foam rollers on PVC tube with burnt holes. Available in medium texture (RMB).

Tube Diam.	Length
1 1/2"	7", 9"

**[RMB]**



- Screw/Fixed

# [ Paint Rollers ]



[ Radiator rollers ]

Available in  
Mohair  
Polyamide (with yellow or red & grey stripes)  
Polyester

Length (cm)

10



[ SPF ]

Radiator Foam Rollers of fine texture.

Size (cm)

10

16



[ Corner roller ]



[ Radiator handle ]

**Corner Roller**  
Polyamide roller for corners

**Radiator Handle**  
For use with Radiator Rollers, SPF (Radiator Foam) Rollers and select effects rollers.



[ Polyflock 10cm 035 ]



[ Polyflock 15cm 050 ]

High Quality flocked foam rollers. For use with latex and water based paints.

# [ Paint Roller Handles ]



Cage type handle  $\phi_{1\frac{1}{2}''}$   
 1 1/2" dia, with 6mm frame.

Size
4"
7"
9"

Cage type handle  $\phi_{1\frac{3}{4}''}$   
 1 3/4" dia, with 6mm or 7mm frame.

Size
7"
9"

DIY cage type handle  $\phi_{1\frac{1}{2}''}$   
 1 1/2" dia, with 6mm frame.

Size
4"
7"
9"

DIY cage type handle  $\phi_{1\frac{3}{4}''}$   
 1 3/4" dia, with 6mm or 7mm frame.




Size
7"
9"

Slip-on handle  
 1 1/2" dia with 6mm frame.

Size
4"
7"
9"

DIY slip-on handle  
 1 1/2" dia with 6mm frame.

Size
4"
7"
9"



# [ Paint Roller Handles ]



[ Plastic cage handle ]



[ Screw type handle ]

## Plastic cage handle

With 6mm frame. Readily available in blue and green.

Size	Diameters
9"	1 1/2"

## Screw type / Fixed type handle

With 6mm or 8mm frame.

Size	Diameters
4"	1 1/2", 1 3/4"
7"	1 1/2", 1 3/4"
9"	1 1/2", 1 3/4"



[ DIY screw type handle ]



[ German type handle ]

## DIY screw type / DIY fixed type handle

Available with 6mm or 8mm frame.

Size	Diameters
4"	1 1/2", 1 3/4"
7"	1 1/2", 1 3/4"
9"	1 1/2", 1 3/4"

## German type handle

Handle which fits into rollers with German Type System. Available with 6mm or 8mm frame.

Tube Diam.	Length
1 3/4"	4", 7", 9"

# [Trays and Sets]



## Multipurpose set

A unique painting set. Contains Pour in paint roller, wall brush, paint brush, dust sheet and measuring cup.

[Multipurpose set]



## Leonardo set 9"

An economy set of 9" tray, 9" Medium pile roller, and 1 1/2" Ideal paint brush.

[Leonardo set]



## Leonardo set 7"

An economy set of 7" tray and 7" Medium pile roller.

Polypropylene paint trays.  
Available in Green and Black.  
Other colours available upon request.

[Professional tray (10")]



## Economy Tray (9")

Polypropylene paint trays.  
Available in Green and Black.  
Other colours available upon request.

[Economy tray (9")]



[Economy tray (7")]



## Economy Tray (7")

Polypropylene paint trays.  
Available in Green and Black.  
Other colours available upon request.

# [Accessories]



## [Dust Covers]

Prepacked dust covers.

Standart Quality available in:  
20m<sup>2</sup> (4x5)  
and  
50m<sup>2</sup> (4x12.5)

Heavy Duty Quality available in:  
20m<sup>2</sup> (4x5)  
and  
50m<sup>2</sup> (4x12.5)



## [Telescopic Poles]

Epoxy painted telescopic poles.

Size (m)
2
3



### Filling knives

French type steel blade with wooden handle.

Size	2	4	5	6	7	8	10

### Scraping knives

French type steel blade with wooden handle.

Size	8	10	12	14	16	18	20

# [ Display Stands ]



[ These high quality displays can assist in a more effective promotion of Peta products.

Available to all major stockists upon request. ]

# Brush Packing Specifications

Size	Peta 300,300A, 800,Ideal,100	Peta Super,600, 400,900. Orion	Peta 850	Peta 200	Peta 2000 Professional
1/2"	888	---	---	---	---
3/4"	444	---	---	---	---
1"	444	444	---	600	444
1 1/2"	348	348	---	480	348
2"	348	216	---	420	216
2 1/2"	216	216	144	360	216
3"	216	144	84	---	84
4"	144	84	---	---	84
5"	96	96	---	---	96
6"	80	80	---	---	80

Size	Peta 500 S500 Special	Peta Oval	Peta Optima, 1500. Zebra
25mm	---	---	444
30mm	---	444	---
35mm	---	---	348
40mm	---	348	---
50mm	---	216	348
60mm	---	216	216
75mm	---	---	216
100mm	---	---	144
70x30mm	180	---	---
100x30mm	108	---	---
130x30mm	72	---	---
140x40mm	60	---	---
150x50mm	60	---	---
150x60mm	60	---	---
170x70mm	35	---	---

## Notes:

- Standard Peta Cartons (for Brushes & Rollers):  
Size: 38 x 38 x 59 cm
- One full 20ft container can take about 330 cartons
- Trays and Tray Sets are packed in special cartons

# Roller & Accessories Packing Specifications

	11/2" 4" Comp.-Ref. pcs / ctn	11/2" 7" Comp.-Ref. pcs / ctn
SFW(white), SPM	75-150	60-100
SPB,SPY,SPU(anchor)	100-200	65-140
PLM(all types), String type rollers	100-140	65-130
MFB(mohair), Simulated Mohair, Immitation Mohair	100-250	65-140
Foam rollers (all types)	60-105	45-60
SPZ	---	50-100
Cages	100	85
Slip-On	100	85

	11/2" 9" Comp.-Ref. pcs / ctn	13/4" 7" Comp.-Ref. pcs / ctn	13/4" 9" Comp.-Ref. pcs / ctn
SFW(white), SPM, Wool Roller	50-85	60-85	50-70
SPB,SPY,SPU, PLM (all types)	60-120	60-125	50-100
MFB(mohair), Simulated Mohair,	60-120	60-125	50-100
Foam rollers (all types)	35-55	---	---
Sheepskin	---	---	45-80
SPZ	75-50	50-75	40-60
Cages	75	60	60
Slip-On	75	---	---
Jumbo	60-120	---	50
Radiator Rollers	100-1000	---	---

Multipurpose Set	30 pcs (special cartons)
Leonardo Set 7"	30pcs (special cartons)
Leonardo Set 9"	24pcs (special cartons)
Trays Professional	20 pcs
Economy Tray 7"	20pcs
Economy Tray 9"	20pcs

# Product Use Tables

	SERIES	EMULSION	OIL BASED PAINTS	ACRYLIC POLYMERS	EPOXY
Paint Brushes	Zebra	Excellent Suitability	Excellent Suitability	Excellent Suitability	Not Suitable
	Optima	Excellent Suitability	Excellent Suitability	Excellent Suitability	Not Suitable
	1500	Excellent Suitability	Good Suitability	Good Suitability	Not Suitable
	Professional	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
	2000	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
	Super	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
	400	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
	600	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
	900	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
	Oval	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
	850	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
	300	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
	300A	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
	200 (black)	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
	200 (white)	Good Suitability	Excellent Suitability	Good Suitability	Good Suitability
	800	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
	100	Good Suitability	Good Suitability	Good Suitability	Not Suitable
	Ideal	Good Suitability	Excellent Suitability	Good Suitability	Excellent Suitability
	500	Excellent Suitability	Not Suitable	Good Suitability	Not Suitable
	500 Special	Excellent Suitability	Not Suitable	Good Suitability	Not Suitable

	ITEM	DESCRIPTION	PAINT APPLICATION	SURFACE USE
Paint Rollers	SRB/SPY/SPP	Medium Pile	Emulsion Paints	Smooth & Semismooth
	SFW/SPM	Long Pile	Emulsion & Masonry	Rough & Texture
	SPZ	Very Long Pile	Emulsion paints	Rough & Texture
	MFB	Pure Mohair	Oil Based Paints	Smooth & Semismooth
	MFS/Imitation Mohair	Sim. Mohair	Oil Based Paints	Smooth & Semismooth
	Polyester (yellow)	String Type	Emulsion & Masonry	Rough & Texture
	PLM (green)	String Type	Emulsion & Masonry	Rough & Texture
	PLM (white with stripes)	String Type	Emulsion & Masonry	Smooth & Semismooth
	PLM ( green & white)	Sheepskin	Emulsion & Oil Based paints	Rough & Texture
	Omicron	String Type	Emulsion & Masonry	Rough & Texture
	Potter Orange	String Type	Emulsion & Masonry	Rough & Texture
	German Type	String Type	Emulsion & Masonry	Rough & Texture
	No splash	String Type	Emulsion Paints	Smooth & Semismooth
	Ultimo	Sheepskin	Oil Based paints	Smooth & Semismooth
	Diamond	Sheepskin	Emulsion & Oil Based paints	Smooth & Semismooth
	SPU	Medium Pile	.....	Smooth & Semismooth
	FRF/FRM/FRG	Foam Roller	.....	Texture Finish
	RMB	Foam Roller	.....	Texture Finish
	Radiator Rollers	Medium Pile	.....	Smooth & Semismooth
	SPF	Radiator Foam	.....	Smooth & Semismooth



Handwriting practice area with horizontal dashed lines.



**Peta (Decorating Tools) Ltd**

Yeri Industrial Zone

P.O.Box 29096, Nicosia

1621 Cyprus

**Tel.:** +357-22-485928

**Fax:** +357-22-485927

**e-mail:** [peta@spidernet.com.cy](mailto:peta@spidernet.com.cy)

[www.peta.com.cy](http://www.peta.com.cy)